



Characteristics:

This product complies with relevant requirements of SoLAS 74/96 SA stipulation and it is MSC. 218(82) amendment and MSC. 81(70) lifesaving equipment standards. It is accredited by Ce certificate issued by Germanischer Lloyd

AG, approved by China Classification Society (CCS) and the Register of shipping of the People's Republic of China.

It is used for leading safe landing of ships and vessels, life raft; offshore platform signaling and indicating position.

Main technical parameters:

- 1) Launch height: $\geq 300\text{m}$
- 2) Luminous color: red;
- 3) Luminous intensity: $\geq 30000\text{cd}$;
- 4) Burning time: $\geq 40\text{s}$;
- 5) Ambient temperature for use and storage: $-30^{\circ}\text{C} \sim +65^{\circ}\text{C}$;
- 6) Validity: 3 years.

Basic introduction

The International Maritime Organization (IMO) requires:

1. Rocket parachute flame signal should:

- .1 is housed in a waterproof enclosure;
- .2 on the enclosure, with a concise note or illustration that clearly states the use of the rocket parachute flame signal;
- .3 having an integrated lighting device; and
- .4 Designed to: When used in accordance with the manufacturer's instructions, the person holds the casing without feeling uncomfortable.

2 When launching vertically, the rocket should reach a height of not less than 300 m. At its trajectory apex, or near its trajectory apex, the rocket fires a parachute flame, which should:

- .1 emit a bright red light;
- .2 burning evenly, the average light intensity is not less than 30,000 cd;
- .3 have a burning time of not less than 40s;
- .4 having a parachute speed of not more than 5 m/s;
- .5 Do not burn the parachute or accessories while burning.

Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone: +86-136 0678 3177

Tel: +86-574-87898900 Tel: +86-574-87896971

Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com

Company Website: www.lifesavingseries.com



SAFETY FIRST, QUALITY FIRST



Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone: +86-136 0678 3177

Tel: +86-574-87898900 Tel: +86-574-87896971

Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com

Company Website: www.lifesavingseries.com



SAFETY FIRST, QUALITY FIRST



Ningbo Zhenhua Electrical Equipment Co.Ltd.

Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china

Post No.: 315700 Phone: +86-136 0678 3177

Tel: +86-574-87898900 Tel: +86-574-87896971

Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com

Company Website: www.lifesavingseries.com



SAFETY FIRST, QUALITY FIRST

COMPANY ADVANTAGE



CORPORATE CERTIFICATE



Ningbo Zhenhua Electrical Equipment Co.Ltd.
 Address: No. 111 yingang rd., xizhou, xiangshan, zhejiang province, china
 Post No.: 315700 Phone: +86-136 0678 3177
 Tel: +86-574-87898900 Tel: +86-574-87896971
 Fax: +86-574-87896981 E-mail: nb9@zhen-hua.com
 Company Website: www.lifesavingseries.com